INSTALLATION INSTRUCTION

Model	Product	Code
HONDA X ADV 750 2021+	Engine Guard	EG-HXADV21





CONTENTS

- 1. 1 pcs Alouminio parts (A4-EG -HXADV)
- 2. 4 pcs Suport parts (I2-EG-HXADV-SET)
- 3. 4 pcs M6X16 Allen screws with round head
- 4. 4 pcs 6X18 rubber washers
- 5. 4 pcs 6X18 washers
- 6. 4 pcs M6 Security nuts

MATERIAL DESCRIPTION


The product is made of 4mm aluminum painted with black or silver electrostatic paint. The auxiliary parts are made of lnox 2mm thick. The screws-nuts-washers are galvanized and there are also rubber washers.




These are the contents you will find inside the product package as well as a card containing the link to download the leaflet with the detailed installation instructions and step-by-step rich photographic material.

Before starting the installation, read the instructions carefully so that you know if you have the right tools and skills, otherwise contact a professional.

For any further information please do not hesitate to contact us: Tel.: +30 2108075387 Email: info@c-racer.com



On the right side remove the cover screw, as the photo shows.



Remove the existing screw, install the support as shown in the photo and secure it using the same screw in a vertcal inclination.



Do the same on the left side.



And here you insert the support with the same screw.



Install the rest of the supports on the front as shown in the photo. Check which one to put to the right and to the left by testing the guard before placing and tightening the screws (you use the same screws).



Install the Guard and place the screws as shown the photograph. Secure all the screws very well.



This will be your final result. Have a nice ride.