

INSTALLATION INSTRUCTION

Model	Product	Code
HONDA X ADV 750 21+	Radiator Grill	RG-HXADV21




CONTENTS

1. 1pcs Radiator Grill
2. 4pcs Support components (D2-RG-HXADV-SET)
3. 4pcs M6X15 Allen screws with round head
4. 4pcs M6 Encased square nuts
5. 12pcs Self-adhesive foam 10X2X50
6. 4pcs Self-adhesive foam 10X2X30

MATERIAL DESCRIPTION

The product is made of 2mm iron, aluminum screen and painted with electrostatic paint in black or silver. The auxiliary parts are made of 2mm DKP iron painted with electrostatic paint in black colour. Silver galvanized screws and expanded EVA foam.



These are the contents you will find inside the product package as well as a card containing the link to download the leaflet with the detailed installation instructions and step-by-step rich photographic material.


Before starting the installation, read the instructions carefully so that you know if you have the right tools and skills, otherwise contact a professional. d skills, otherwise contact a professional.

The product is for race use only


For any further information please do not hesitate to contact us: Tel.: +30 2108075387 Email: info@c-racer.com



Place the square nuts on the Support components and the Self-adhesive foam 10X2X30, as shown in the photo.



Place the Self-adhesive foam 10X2X50, as the photo shows.



Screw the Support components to the Grill, without tighten them, just to be in place and able to rotate.



Place the Grill on the Radiator, make sure it is in the center, rotate the Support components so that they go behind the Radiator and tighten the screws.



This will be your final result.
Happy and safe rides.